CBCS SCHEME

USN							15ME742
		I	 1	1			

Seventh Semester B.E. Degree Examination, July/August 2021 Tribology

Time: 3 hrs.

Note: 1. Answer any FIVE full questions.

- 2. Use of Machine design data hand book is permitted.
- 1 a. Explain the following:
 - i) Oil bearings
 - ii) Gas bearings
 - iii) Elastohydrodynamic lubrication.

(09 Marks)

Max. Marks: 80

b. With suitable examples discuss the types of lubricants.

(07 Marks)

2 a. Discuss the good properties of lubricants.

(08 Marks)

b. With help of neat sketch, explain the working of saybolt viscometer.

(08 Marks)

3 a. Explain the friction theories.

(08 Marks)

- b. With suitable sketches, explain the friction measurement methods:
 - i) Inclined plane Rig
- ii) Pin-on-disc Rig

(08 Marks)

- 4 Explain the following:
 - i) Abrasive wear mechanism
 - ii) Adhesive wear mechanism
 - iii) Surface fatigue wear mechanism
 - iv) The delamination theory of wear.

(16 Marks)

- With assumptions derive Reynold's differential equation in Two dimensions for the pressure gradient in a converging oil film with no end leakage. (16 Marks)
- 6 a. Derive an expression for load carrying capacity of an idealized full journal bearing.

(08 Marks)

- b. A fall journal bearing has the following specification; diameter of journal = 75mm, length of bearing = 75mm, journal speed = 900rpm, diametral clearance = 0.0875mm, viscosity = 13cp and attitude = 0.75. Neglecting the effect of end leakage. Determine:
 - i) Minimum film thickness
 - ii) Load carrying capacity
 - iii) Co-efficient of friction
 - iv) Power loss.

(08 Marks)

- 7 a. A plane slider with fixed shoe bearing has the following specifications; Bearing length = 90mm, Bearing width = 75mm, Load = 17.5kN, Velocity = 2.5m/s, Inclination = -0.00035 rad and Viscosity = 0.0445 Pa-s. Determine:
 - i) Minimum film thickness
 - ii) Power loss

iii) Coefficient of friction.

(08 Marks)

- b. A pivoted slider bearing has square shape and has the following specification, load = 15kN, velocity moving member = 5m/s, viscosity = 0.052 Pa-s and permissible minimum film thickness = 0.01875mm. Assume that the dimensionless variable q = 1. Determine,
 - i) Required dimensions of the pad
 - ii) Coefficient of friction
 - iii) Power loss.

Take into account of the influence of end leakages on performance of bearing. (08 Marks)

- 8 a. Derive the expression for rate of flow of oil through a Hydrostatic bearing. (08 Marks)
 - b. A Hydrostatic step bearing for a turbine rotor has the following specifications. Diameter of shaft = 150mm, diameter of pocket = 100mm, vertical thrust on bearing = 70kN, shaft speed = 1000rpm, viscosity of lubricant under operating condition = 0.025 Pa-S and desirable minimum film thickness = 0.125mm. Determine:
 - i) Rate of oil flow through the bearing
 - ii) Power loss due to viscous friction
 - iii) Co-efficient of friction.

(08 Marks)

- 9 a. List the commonly used bearing materials and describe any of the five commonly with respect to their characteristics and advantages. (08 Marks)
 - b. Explain the following:
 - i) Nickel coating
 - ii) Chromium coating on wear out surfaces.

(08 Marks)

- 10 Explain with neat sketches the following:
 - i) 🦸 Plasma spraying 🖣
 - ii) Chemical vapour deposition (CVD)

(16 Marks)