CBCS SCHEME

USN				

18ME33

Third Semester B.E. Degree Examination, Feb./Mar. 2022 Basic Thermodynamics

Time: 3 hrs. Max. Marks: 100

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module.

2. Use of thermodynamics charts and tables are permitted.

Module-1

- 1 a. Distinguish between:
 - (i) Macroscopic and microscopic approaches
 - (ii) Intensive and extensive properties

(10 Marks)

- b. Define the following terms:
 - (i) System

(ii) State

(iii) Property

- (iv) Quasi-static process
- (v) Thermodynamic cycle

(10 Marks)

OR

- 2 a. Define Thermodynamic Equilibrium. Also explain Mechanical, Chemical and Thermal equilibrium. (10 Marks)
 - b. A constant volume gas thermometer containing helium gives readings of gas pressure 'P' as 1000 and 1366 mm of mercury at ice point and steam point respectively. Assuming a linear relationship of the form t = a + bP, express the gas thermometer celsius temperature 't' in terms of gas pressure P. What is the temperature recorded by the thermometer, when it registers a pressure of 1074 mm of mercury? (10 Marks)

Module-2

3 a. Compare work and heat.

(10 Marks)

b. A fluid contained in a horizontal cylinder fitted with a frictionless leak proof piston is continuously agitated by a stirrer passing through the cylinder cover. The diameter of the cylinder is 40 cm and piston is held against the fluid due to atmospheric pressure equal to 100 kPa. The stirrer turns 7000 revolutions with an average torque of 1 Nm. If the piston slowly moves outwards by 50 cm determine the network transfer to the system. (10 Marks)

OR

- 4 a. With a neat diagram, explain Joule's experiments. Also state the first law of thermodynamics. (10 Marks)
 - b. A centrifugal compressor delivers 20 kg/min of air. Air enters the compressor of 5 m/s, 100 kPa and leaves at 9 m/s, 600 kPa. Heat lost to the surroundings during this process is 10 kJ/s. If the increase in enthalpy of the fluid is 180 kJ/kg and inlet and outlet specific volume of air are 0.5 m³/kg and 0.16 m³/kg respectively, determine the power of the motor to drive the compressor. Also calculate the ratio of inlet pipe diameter to the outlet pipe diameter. Assume zero elevation difference. (10 Marks)

Module-3

5 a. Describe the limitations of first law of thermodynamics. Also explain Kelvin-Plank and Clausius statements of second law of thermodynamics with representative diagrams.

(10 Marks)

- b. Two Carnot engines A and B are connected in series between two thermal reservoirs maintained at 1000 K and 100 K respectively. Engine A receives 1680 kJ of heat from high temperature reservoir and rejects heat to the Carnot engine B. Engine B takes in heat rejected by engine A and reject heat to the low temperature reservoir. If engines A and B have equal thermal efficiencies, determine:
 - (i) The heat rejected by engine B.
 - (ii) Temperature at which heat is rejected by engine A.
 - (iii) Work done by engine A and B.

(10 Marks)

OR

- 6 a. Define entropy and explain the principle of increase of entropy. (10 Marks)
 - b. A closed system contains air at pressure 1 bar, temperature 290 K and volume 0.02 m³. This system undergoes a thermodynamic cycle consisting of the following three process:

Process 1-2: Constant volume heat addition till pressure becomes 4 bar.

Process 2-3: constant pressure cooling.

Process 3-1: Isothermal heating to initial state. Evaluate the change in entropy for each process. Take $C_V = 0.718 \text{ kJ/kgK}$, R = 287 J/kgK. Also represent the cycle on T-S and P-V plot. (10 Marks)

Module-4

- 7 a. Explain the concept of availability and unavailable energy by deducing suitable relevant equation. (10 Marks)
 - b. Superheated steam at 40 bar and 300°C expands to 4 bar and 0.97 dry in a turbine. Determine: (i) Availability (ii) Actual work done (iii) Loss in availability. Assume $t_0 = 28$ °C. (10 Marks)

OR

- 8 a. Draw and explain the salient features of P-T diagram with water as an example. (08 Marks)
 - b. The following data were obtained with a separating and throttling calorimeter pressure in steam main = 15 bar, mass of water drained from the separator = 0.55 kg. Mass of steam condensed after passing through the throttle valve = 4.20 kg. Pressure and temperature after throttling is 1 bar and 120°C. Evaluate the dryness fraction of steam in the main. (12 Marks)

Module-5

- 9 a. Define and explain Dalton's law of partial pressures and Amagat's law of additive volumes.

 (10 Marks)
 - b. It is required to evacuate hydrogen gas from a 8 m³ capacity tank form atmospheric pressure of 101.325 kPa to a pressure of 98.125 kPa vacuum at 400 K. Determine the mass of Hydrogen pumped out and pressure in kPa if the temperature of hydrogen left in the tank falls to 290 K.

 (10 Marks)

OR

- 10 a. Define and explain: (i) Dew Point temperature (ii) Relative humidity (iii) Humidity ratio (iv) Wet Bulb temperature (v) Degree of saturation (10 Marks)
 - b. One kg of carbon monoxide has a volume of 2 m³ at 80°C. Determine its pressure using:
 (i) Ideal gas equation (ii) Vander Waal's equation
 Constants for Vander Waal's equations:

 $a = 147.90 \text{ kN-m}^4/(\text{kgmol})^2$ and $b = 0.0393 \text{ m}^3/\text{kgmol}$.

(10 Marks)