

--	--	--	--	--	--	--	--	--	--

First Semester B.E. Degree Examination, June/July 2024 Calculus and Differential Equations

Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- 1 a. Find the angle of intersection between the curves, $r = a\theta$ and $r = \frac{a}{\theta}$. (06 Marks)
- b. With usual notations, prove the following :
- (i) $p = r \sin \phi$ (ii) $\frac{1}{p^2} = \frac{1}{r^2} + \frac{1}{r^4} \left(\frac{dr}{d\theta} \right)^2$. (07 Marks)
- c. Show that the radius of curvature for the curve $r^2 \sec 2\theta = a^2$ is $\frac{a^2}{3r}$. (07 Marks)

OR

- 2 a. Find the angle between the radius vector and the tangent for the curve $r = ae^{\theta \cot \alpha}$. (06 Marks)
- b. For the curve $r^n = a^n \sin n\theta + b^n \cos n\theta$, show that the pedal equation is $p^2(a^{2n} + b^{2n}) = r^{2n+2}$. (07 Marks)
- c. Find the radius of curvature of the curve $x^2y = a(x^2 + y^2)$ at the point $(-2a, 2a)$. (07 Marks)

Module-2

- 3 a. Obtain Maclaurin's series expansion of $\log(1 + \sin x)$ upto the term containing x^4 . (06 Marks)
- b. If $z = e^{ax+by} f(ax - by)$, prove that $b \frac{\partial z}{\partial x} + a \frac{\partial z}{\partial y} = 2abz$. (07 Marks)
- c. Find the extreme values of the function, $f(x, y) = x^3 + y^3 - 63x - 63y + 12xy$. (07 Marks)

OR

- 4 a. Evaluate the following : $\lim_{x \rightarrow 0} \left(\frac{a^x + b^x + c^x}{3} \right)^{\frac{1}{x}}$. (06 Marks)
- b. If $z = e^{ax-by} \sin(ax + by)$ then prove that $b \frac{\partial z}{\partial x} - a \frac{\partial z}{\partial y} = 2abz$. (07 Marks)
- c. If $u = x^2 - 2y^2$, $v = 2x^2 - y^2$, find $\frac{\partial(u, v)}{\partial(x, y)}$. (07 Marks)

Module-3

- 5 a. Solve $(2xy + y - \tan y)dx + (x^2 - x \tan^2 y + \sec^2 y)dy = 0$. (06 Marks)
- b. If the air is maintained at 30°C and the temperature of the body cools from 80°C to 60°C in 12 minutes, find the temperature of the body after 24 minutes. (07 Marks)
- c. Solve $(px - y)(py + x) = a^2p$ by using the substitution $X = x^2$ and $Y = y^2$. (07 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and/or equations written eg, 42+8 = 50, will be treated as malpractice.

OR

- 6 a. Solve $x^3 \frac{dy}{dx} - x^2 y = -y^4 \cos x$. (06 Marks)
- b. Find the orthogonal trajectories of the family of curves $r = 4a(\sec \theta + \tan \theta)$, where a is the parameter. (07 Marks)
- c. Solve $\frac{dy}{dx} - \frac{dx}{dy} = \frac{x}{y} - \frac{y}{x}$. (07 Marks)

Module-4

- 7 a. Solve $\frac{d^2 y}{dx^2} - 4y = e^{3x}$. (06 Marks)
- b. Solve $\frac{d^2 y}{dx^2} + 5 \frac{dy}{dx} + 4y = x^2 + 7x + 9$. (07 Marks)
- c. Solve $\frac{d^2 y}{dx^2} - 2 \frac{dy}{dx} + 2y = e^x \tan x$ by the method of variation of parameters. (07 Marks)

OR

- 8 a. Solve $(4D^4 - 4D^3 - 23D^2 + 12D + 36)y = 0$. (06 Marks)
- b. Solve $\frac{d^3 y}{dx^3} + 2 \frac{d^2 y}{dx^2} + \frac{dy}{dx} = e^{-x}$. (07 Marks)
- c. Solve $(2x-1)^2 \frac{d^2 y}{dx^2} + (2x-1) \frac{dy}{dx} - 2y = 8x^2 - 2x + 3$. (07 Marks)

Module-5

- 9 a. Find the rank of the matrix $\begin{bmatrix} 2 & 1 & 3 & 5 \\ 4 & 2 & 1 & 3 \\ 8 & 4 & 7 & 13 \\ 8 & 4 & -3 & -1 \end{bmatrix}$ by reducing it to the echelon form. (06 Marks)
- b. Test for consistency and solve the following system of equations, $x + 3y - 2z = 0$, $2x - y + 4z = 0$, $x - 11y + 14z = 0$ (07 Marks)
- c. Use the Gauss-Seidel iterative method to solve the system of equations, $x + 4y + 2z = 15$, $x + 2y + 5z = 20$, $5x + 2y + z = 12$
Carryout four iterations, taking the initial approximation to the solution as $(1, 0, 3)$. (07 Marks)

OR

- 10 a. Apply Gauss elimination method to solve the system of equations, $2x + y + z = 10$, $3x + 2y + 3z = 18$, $x + 4y + 9z = 16$ (06 Marks)
- b. Investigate the values λ and μ so that the equations $2x + 3y + 5z = 9$, $7x + 3y - 2z = 8$, $2x + 3y + \lambda z = \mu$, have (i) a unique solution, (ii) infinitely many solutions (iii) no solution. (07 Marks)
- c. Find the largest Eigen value and the corresponding Eigen vector of the matrix $A = \begin{bmatrix} 6 & -2 & 2 \\ -2 & 3 & -1 \\ 2 & -1 & 3 \end{bmatrix}$ by taking $[1 \ 1 \ 1]^T$ as initial Eigen vector by Rayleigh's power method. (07 Marks)

* * * * *