

Third Semester B.E./B.Tech. Degree Examination, June/July 2024 Object Oriented Programming with Java

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module. 2. M : Marks , L: Bloom's level , C: Course outcomes.

| | | Module – 1 | M | L | С | | | |
|--|----|---|----|----|-----|--|--|--|
| Q.1 | a. | Differentiate two paradigms of programming. | 5 | L2 | CO1 | | | |
| | b. | Explain the various bitwise and short circuit operators in Java. | 8 | L2 | CO1 | | | |
| | c. | Write a Java program with a method to check whether a given number is prime or not. | 7 | L3 | CO1 | | | |
| | | OR | | | r | | | |
| Q.2 | a. | Explain various scopes of variables in Java. | 5 | L2 | CO1 | | | |
| | b. | Explain the arithmetic compound assignment and Ternary operators in Java. | 8 | L2 | CO1 | | | |
| | c. | Write a Java program to perform linear search on an array elements accepted from keyboard and key element also accepted from key board. | 7 | L3 | CO1 | | | |
| | I | Module – 2 | | L | | | | |
| Q.3 | a. | Explain method overloading in Java with examples. | 8 | L2 | CO2 | | | |
| | b. | Design a stack class to hold maximum of N numbers with a constructor, push, POP and Display methods. Develop Java main method to illustrate stack operations. | 12 | L3 | CO2 | | | |
| | | OR | | | | | | |
| Q.4 | a. | Explain the role of "this" keyword and "static" keyword in Java. | 8 | L2 | CO2 | | | |
| | b. | Design a class called "Employee" with fields ID, Name and Salary. Write a suitable constructors a method to raise salary and a static method to display. The number of Employee objects. Write suitable Main method for illustration. | 12 | L3 | CO2 | | | |
| Module – 3 | | | | | | | | |
| Q.5 | a. | Explain the role of "Super" with example Java program. | 6 | L2 | CO3 | | | |
| | b. | For any class and any method as an example, explain method overriding. | 5 | L2 | CO3 | | | |
| and the second | c. | Develop a Java program to create class called "Shape". Create 3 sub classes : circle, triangle and square. Each class has 2 member function area () and draw (). Demonstrate polymorphism with a suitable main program. | 9 | L3 | CO3 | | | |
| OR | | | | | | | | |
| Q.6 | a. | Explain the order of constructor execution in a multilevel class hierarchy. | 6 | L2 | CO3 | | | |
| | b. | Define dynamic method dispatch and write a code snippet in Java to demonstrate. | 5 | L1 | CO3 | | | |

1 of 2

BCS306A

| | c. | Develop Java program to create interface Resizable with methods resize width (int width) and resize height (int height) that allow object to be resized. Create a class Rectangle that implements This Interface. | 9 | L3 | CO3 |
|--|----|---|---|----|-----|
| I | | Module – 4 | | | 601 |
| Q.7 | a. | Explain four categories of visibility for class members based on packages. | 6 | L2 | CO4 |
| | b. | Give the general form of an exception handling block and write a Java program to illustrate multiple catch classes. | 7 | L2 | CO4 |
| - | c. | Write a custom exception in Java called "less marks" and raise This exception when marks entered by valuator in the range $[30 - 34]$ | 7 | L3 | CO4 |
| | | OR . | | | |
| Q.8 | a. | With code snippets, explain mechanism to create and import a package in Java. | 6 | L2 | CO4 |
| | b. | Write a Java program to create chained exceptions with top-level exception is Null Pointer Exception and its cause Arithmetic Exception. | 7 | L3 | CO4 |
| | c. | Develop a Java program to create custom exception for Negative odd numbers. | 7 | L3 | CO4 |
| | | Module – 5 | | | 1 |
| Q.9 | a. | Explain various methods of thread class in Java. | 6 | L2 | CO5 |
| | b. | Write a Java program to create 4 threads and each thread when run, will sleep for 500 milliseconds and print its name before "Before Quitting". | 8 | L3 | CO5 |
| | c. | Explain the use of Type wrappers in Java with example. | 6 | L2 | CO5 |
| a an | | OR | l | 1 | L. |
| Q.10 | a. | Explain is Alive () and join () methods of Thread with example code snippet. | 6 | L2 | CO5 |
| | b. | Write a Java program to create 4 Rread and each Thread generates random number and prints it and sleeps for 800 msec and quits. | 8 | L3 | CO5 |
| | c. | Explain the concept of autoboxing /unboxing in expressions and methods. | 6 | L2 | CO5 |
| | 3 | ***** 2 of 2 | | | |
| | | | | | |