

OR

a. Derive $\overline{x}_{ac} = -\frac{m_0}{a_0} + 0.25$, where \overline{x}_{ac} is the location of the aerodynamic center as a fraction of the chord length, M₀ is the slope of moment coefficient curve and a₀ is the slope of lift (08 Marks) co-efficient curve.

(08 Marks)

(08 Marks)

b. List different types of drag and explain.

Module-3

- Consider Non-lifting flow over a circular cylinder and derive the expression, a. $C_p = 1 - 4 \sin^2 \theta$ and also show the C_P variation over the surface of the cylinder graphically. (08 Marks)
 - b. Consider the lifting flow over a circular cylinder. The lift co-efficient is 5. Calculate the location of the stagnation points and the points on the cylinder where the pressure equals free stream static pressure. (08 Marks)

OR

- Briefly explain the following, with neat sketches and relevant expressions: a.
 - Kelvin's circulation theorem.
 - (ii) The starting vortex.
 - b. Derive an expression for lift co-efficient for symmetrical airfoil, using classical thin airfoil (08 Marks) theory.

2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice. Important Note: 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.

4

5

6

(i)

Module-4

- 7 a. Discuss briefly the following:
 - (i) Vortex filament.
 - (ii) Induced drag.
 - b. Obtain the fundamental equation of Prandtl's, lifting-line theory.

OR

- 8 a. Explain Prandtl's lifting line theory and its limitations.
 - b. Consider a rectangular wing with an aspect ratio of 6, an induced drag factor $\delta = 0.055$, and a zero-lift angle of attack of -2° . At an angle of attack of 3.4°, the induced drag co-efficient for this wing is 0.01. Calculate the induced drag co-efficient for a similar wing (a rectangular wing with the same airfoil section) at the same angle of attack, but with an aspect ratio of 10. Assume that the induced factors for drag and the lift slope, δ and τ respectively, are equal to each other (i.e. $\delta = \tau$). Also, for AR = 10, $\delta = 0.105$. (08 Marks)

Module-5

- 9 a. What are swept wings? Describe the typical aerodynamic characteristics with relevant graphs and sketches.
 (10 Marks)
 (06 Marks)
 - b. Explain the effect of flaps on the lift curve.

OR

- 10 Write short notes on the following:
 - a. Influence of downwash on tail plane.
 - b. Ground effects.
 - c. Critical Mach Number.
 - d. Subsonic and supersonic leading edges.

(16 Marks)

2 of 2

(08 Marks)

(08 Marks)

(08 Marks)