

CBCS Scheme

USN

--	--	--	--	--	--	--	--	--	--

15MATDIP41

Fourth Semester B.E. Degree Examination, June/July 2017 Additional Mathematics – II

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- 1 a. Find the rank of the matrix :

$$\begin{bmatrix} 1 & 2 & 3 & 2 \\ 2 & 3 & 5 & 1 \\ 1 & 3 & 4 & 5 \end{bmatrix} \text{ by elementary row transformations.} \quad (06 \text{ Marks})$$

- b. Solve the following system of equations by Gauss elimination method :

$$\begin{aligned} 2x + y + 4z &= 12 \\ 4x + 11y - z &= 33 \\ 8x - 3y + 2z &= 20. \end{aligned} \quad (05 \text{ Marks})$$

- c. Find all the eigen values and eigen vector corresponding to largest eigen value of the matrix :

$$\begin{bmatrix} 1 & 1 & 3 \\ 1 & 5 & 1 \\ 3 & 1 & 1 \end{bmatrix}. \quad (05 \text{ Marks})$$

OR

- 2 a. Solve the following system of equations by Gauss elimination method :

$$\begin{aligned} x + y + z &= 9 \\ 2x + y - z &= 0 \\ 2x + 5y + 7z &= 52. \end{aligned} \quad (06 \text{ Marks})$$

- b. Reduce the matrix $\begin{bmatrix} 1 & 2 & 3 \\ 1 & 4 & 2 \\ 2 & 6 & 5 \end{bmatrix}$ into its echelon form and hence find its rank. (05 Marks)

- c. Find the inverse of the matrix $A = \begin{bmatrix} 1 & 4 \\ 2 & 3 \end{bmatrix}$ using Cayley – Hamilton theorem. (05 Marks)

Module-2

- 3 a. Solve $(D^2 - 4D + 13)y = \cos 2x$ by the method of undetermined coefficients. (06 Marks)

b. Solve $(D^2 + 2D + 1)y = x^2 + 2x$. (05 Marks)

c. Solve $(D^2 - 6D + 25)y = \sin x$. (05 Marks)

OR

- 4 a. Solve $(D^2 + 1)y = \tan x$ by the method of variation of parameters. (06 Marks)

b. Solve $(D^3 + 8)y = x^4 + 2x + 1$. (05 Marks)

c. Solve $(D^2 + 2D + 5)y = e^{-x} \cos 2x$. (05 Marks)

Important Note - 1: On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.

Module-3

5 a. Find the Laplace transforms of :

i) $e^{-t} \cos^2 3t$ ii) $\frac{\cos 2t - \cos 3t}{t}$. (06 Marks)

b. Find:

i) $L\left[t^{-5/2} + t^{5/2}\right]$ ii) $L[\sin 5t \cdot \cos 2t]$. (05 Marks)

c. Find the Laplace transform of the function : $f(t) = E \sin\left(\frac{\pi t}{\omega}\right)$, $0 < t < \omega$, given that $f(t + \omega) = f(t)$. (05 Marks)

OR

6 a. Find :

i) $L\left[t^2 \sin t\right]$ ii) $L\left[\frac{\sin 2t}{t}\right]$. (06 Marks)

b. Evaluate : $\int_0^{\infty} \frac{\cos 6t - \cos 4t}{t} dt$ using Laplace transform. (05 Marks)

c. Express $f(t) = \begin{cases} \sin 2t, & 0 < t < \pi \\ 0, & t > \pi \end{cases}$, in terms of unit step function and hence find $L[f(t)]$. (05 Marks)

Module-4

7 a. Solve the initial value problem $\frac{d^2y}{dx^2} + \frac{5dy}{dx} + 6y = 5e^{2x}$, $y(0) = 2$, $y'(0) = 1$ using Laplace transforms. (06 Marks)

b. Find the inverse Laplace transforms : i) $\frac{3(s^2 - 1)^2}{2s^2}$ ii) $\frac{s+1}{s^2 + 6s + 9}$. (05 Marks)

c. Find the inverse Laplace transform : $\log\left[\frac{s^2 + 4}{s(s+4)(s-4)}\right]$. (05 Marks)

OR

8 a. Solve the initial value problem :

$\frac{d^2y}{dt^2} + \frac{4dy}{dt} + 3y = e^{-t}$ with $y(0) = 1 = y'(0)$ using Laplace transforms. (06 Marks)

b. Find the inverse Laplace transform : i) $\frac{1}{s\sqrt{5}} + \frac{3}{s^2\sqrt{5}} - \frac{8}{\sqrt{5}}$ ii) $\frac{3s+1}{(s-1)(s^2+1)}$. (05 Marks)

c. Find the inverse Laplace transform : $\frac{2s-1}{s^2+4s+29}$. (05 Marks)

Module-5

- 9 a. State and prove Baye's theorem. (06 Marks)
- b. A can hit a target 3 times in 5 shots, B 2 times in 5 shots and C 3 times in 4 shots. They fire a volley. What is the probability that i) two shots hit ii) atleast two shots hit? (05 Marks)
- c. Find $P(A)$, $P(B)$ and $P(A \cap \bar{B})$, if A and B are events with $P(A \cup B) = \frac{7}{8}$,
 $P(A \cap B) = \frac{1}{4}$ and $P(\bar{A}) = \frac{5}{8}$. (05 Marks)

OR

- 10 a. Prove that $P(A \cup B) = P(A) + P(B) - P(A \cap B)$, for any two events A and B. (06 Marks)
- b. Show that the events \bar{A} and \bar{B} are independent, if A and B are independent events. (05 Marks)
- c. Three machines A, B and C produce respectively 60%, 30%, 10% of the total number of items of a factory. The percentage of defective output of these machines are respectively 2%, 3% and 4%. An item is selected at random and is found defective. Find the probability that the item was produced by machine C. (05 Marks)

* * * * *