

# CBCS SCHEME

USN

--	--	--	--	--	--	--	--	--	--

15CS54

## Fifth Semester B.E. Degree Examination, Dec.2018/Jan.2019 Automata Theory and Computability

Time: 3 hrs.

Max. Marks: 80

**Note: Answer any FIVE full questions, choosing ONE full question from each module.**

### Module-1


- 1 a. Define the following with example :
  - i) String
  - ii) Language
  - iii) Alphabet
  - iv) DFSM.(08 Marks)
- b. Design a DFSM to accept each of the following languages
  - i)  $L = \{W \in \{0, 1\}^* : W \text{ has } 001 \text{ as a substring}\}$
  - ii)  $L = \{W \in \{a, b\}^* : W \text{ has even number of } a\text{'s and even number of } b\text{'s}\}.$  (08 Marks)

OR

- 2 a. Define NDFSM. Convert the following NDFSM to its equivalent DFSM. (08 Marks)




- b. Minimize the following DFSM. (08 Marks)



### Module-2

- 3 a. Define Regular expression and write Regular expression for the following language.
  - i)  $L = \{a^{2n} b^{2m} \mid n \geq 0, m \geq 0\}$  (08 Marks)
  - ii)  $L = \{a^n b^m \mid m \geq 1, n \geq 1, nm \geq 3\}.$
- b. Obtain the Regular expression for the following FSM. (08 Marks)



OR

- 4 a. Define a Regular grammar. Design regular grammars for the following languages.
  - i) Strings of a's and b's with at least one a.
  - ii) Strings of a's and b's having strings without ending with ab.
  - iii) Strings of 0's and 1's with three consecutive 0's. (08 Marks)
- b. State and prove pumping theorem for regular languages. (08 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
2. Any revealing of identification, appeal to evaluator and/or equations written eg, 42+8 = 50, will be treated as malpractice.

**Module-3**

- 5 a. Define context free grammar. Design a context free grammar for the languages. (08 Marks)
- i)  $L = \{0^m 1^m 2^n \mid m \geq 0, n \geq 0\}$       ii)  $L = \{a^i b^j \mid i \neq j, i \geq 0, j \geq 0\}$   
 iii)  $L = \{a^n b^{n-3} \mid n \geq 3\}$ .
- b. Consider the grammar G with production.
- $S \rightarrow AbB$   
 $A \rightarrow aA \mid \epsilon$   
 $B \rightarrow aB \mid bB \mid \epsilon$
- (08 Marks)
- Obtain leftmost derivation, rightmost derivation and parse tree for the string aaabab.

OR

- 6 a. Define a PDA. Obtain a PDA to accept  
 $L = \{a^n b^n \mid W \in \{a, b\}^*\}$ . Draw the transition diagram. (08 Marks)
- b. Convert the following grammar into equivalent PDA. (08 Marks)
- $S \rightarrow aABC$   
 $A \rightarrow aB \mid a$   
 $B \rightarrow bA \mid b$   
 $C \rightarrow a$ .

**Module-4**

- 7 a. State and prove pumping lemma for context free languages. Show that  
 $L = \{a^n b^n c^n \mid n \geq 0\}$  is not context free. (10 Marks)
- b. Explain Turing machine model. (06 Marks)

OR

- 8 a. Design a Turing machine to accept the language  $L = \{0^n 1^n 2^n \mid n \geq 1\}$ . (08 Marks)
- b. Design a Turing machine to accept strings of a's and b's ending with ab or ba. (08 Marks)

**Module-5**

- 9 a. Explain the following : (06 Marks)
- i) Non-deterministic Turing machine      ii) Multi-tape Turing machine.
- b. Define the following : (06 Marks)
- i) Recursively enumerable language      ii) Decidable language.
- c. What is Post correspondence problem? (04 Marks)

OR

- 10 a. What is Halting problem of Turing machine? (06 Marks)
- b. Define the following : i) Quantum computer      ii) Class NP. (06 Marks)
- c. Explain Church Turing Thesis. (04 Marks)

\*\*\*\*\*