

# Naval Architecture for Marine Engineers

**W. MUCKLE**

M.Sc., Ph.D.(DUNELM), D.Sc.(N'CLE),  
C.ENG., F.R.I.N.A., F.I.MAR.E.

*Formerly Professor of Naval Architecture,  
University of Newcastle upon Tyne*



**NEWNES-BUTTERWORTHS**

LONDON BOSTON

Sydney Wellington Durban Toronto



# Contents

1	The function of the ship; ship types	1
2	Definitions, principal dimensions, form coefficients	19
3	Classification societies and governmental authorities	35
4	Ship calculations	51
5	Buoyancy, stability and trim	66
6	The sea and ship motions	128
7	Structural strength	150
8	Resistance	200
9	Propulsion	262
10	Powering	314
11	Vibration	323
12	Ship design	387
	Index	401

## Index

- Accommodation, crew, 5, 397  
passenger, 5, 16, 17, 389, 397
- Added virtual mass, 142, 146, 147, 347–354  
influence of three-dimensional flow on, 354–356
- Admiralty coefficient, 311
- Advance coefficient, 276, 281
- Advance, speed of, 276, 277
- After perpendicular, 19, 20
- After shoulder, 31
- Air screws, 17
- Aluminium alloys, 13  
heat treatable, 193  
non-heat treatable, 193
- Amidships, 20
- Angle of incidence, 268, 269, 271, 272
- Aspect ratio, 272
- Ballast tanks, 2, 31
- Bar keel, 25
- Barnaby, S. W., 294, 296
- Barnes, F. K., 102
- Bending, horizontal, 180  
longitudinal, 151, 153
- Bending moment, hogging, 156  
longitudinal, 158  
sagging, 156  
still water, 151, 167  
wave, 159
- Bending moment coefficient, 178
- Bilge keels, 229
- Bilge radius, 23
- Blade area, 267
- Blade area ratio, 267
- Blade element efficiency, 279
- Blade element theory, 276–279
- Blade outline, 264
- Blade outline, *cont.*  
developed, 265  
projected, 265
- Blade sections, 265  
aerofoil, 265  
flat face circular back, 265
- Blade sections with face camber, 265
- Blassius, H., 209
- Block coefficient, 31–33, 248, 390–392
- Body sections, 27
- Bonjean curves, 69, 89
- Boss diameter, 264
- Boundary layer, 202
- Bow lines, 29
- Bow thrusters, 16
- Bragg, E. M., 292
- Brake horsepower (B.H.P.), 303
- Breadth, extreme, 21  
moulded, 20, 21
- Breadth/draught ratio, 249
- Bridge, 7, 10
- British Ship Research Association (B.S.R.A.), 231
- Brittle fracture, 11, 191, 192, 194, 197
- Buckling, 181–183
- Bulb, 83
- Bulbous bow, 33, 34, 251, 252
- Bulk cargoes, influence on stability of shift of, 112–114  
prevention of moving of, 114, 115
- Bulk carrier, 7–10, 389
- Bulkheads, oiltight, 10  
watertight, 3, 5, 7, 15
- Bunkers, 4
- Buoyancy, 2, 31
- Buoyancy distribution, 150, 151, 157
- Burrill, L. C., 292, 301, 350, 376
- Buttocks, 29

- Camber (round of beam), 23  
 Cargo holds, 3  
 Cascade effect, 279  
 Cavitation, 272, 294-301  
 Cavitation number, 297, 298  
 Cavitation tunnel, 298-300  
 Centre of buoyancy, 72, 73, 83, 250  
 Centre of flotation, 80, 82  
 Centre of gravity, 71-74, 94-96, 394, 395  
 Charpy test, 192  
 Circulation, 270, 271  
 Classification, 35, 36  
 Classification societies, 5, 35, 38, 39  
 Conformal transformation, 351, 352  
 Container ships, 13, 15  
 Containers, 4, 13  
 Contra rotating propeller, 302  
 Controllable pitch propeller, 303  
 Corresponding speed, 206  
 Cost, 397, 398  
 Cranes, 4  
 Cross curves of stability, 107, 109  
 Cross-Channel ship, 16  
 Cruise ships, 16  
 Cruiser stern, 33, 83  
 Cubic capacity, 16
- Damaged stability, 115  
 Damping, 141, 143, 147, 324  
 Damping coefficients, 381  
*Daring*, 294  
 De Wilde, G., 374  
 Deadweight, 7, 10, 11, 13  
 Decks, 3, 7, 15  
 Deflection, bending, 162, 169, 170  
   shear, 171  
 Den Hartog, G., 371  
 Department of Trade, 35, 39  
 Depth moulded, 21, 22  
 Derricks, 4  
 Design, optimisation of, 398-399  
 Design requirements, 387-389  
 Dimensional analysis, 203-205, 280, 281  
 Disc area ratio, 267  
 Displacement, moulded, 31-33, 84-87  
   extreme, 83  
 Displacement sheet, 70, 71  
 Double bottom, 3  
 Drag, 200, 201, 269  
 Drag coefficient, 269  
 Drag form, 217  
 Draught, 16, 25
- calculation of draught after flooding,  
     added weight method of, 122  
     lost buoyancy method of, 120-122  
 Dynamical similarity, 207, 208  
 Dynamical stability, 115
- Economical speed, 388  
 Effective horsepower (E.H.P.), 236, 237,  
   289, 290  
 Emerson, A., 301  
 Endurance limit, 198  
 Energy spectrum, 137, 138  
 Entrance, 31  
 Equilibrium (of floating body), 66, 67  
 Erosion, 297  
 Euler's formula, 181  
 Exciting force, regular, 328  
   irregular, 332, 333
- Factor of subdivision, 127  
 Fatigue, 198  
 Finite element method, 187, 188  
 5, 8-1 rule, 64  
 Flat of bottom, 23, 24  
 Flat of keel, 24  
 Flexural vibration of beam, 339-341  
 Floodable length, 124-127  
 Flooding, 119-123  
   unsymmetrical, 123-124  
 Forced vibrations, 328-330  
 Forces on ship, static, 150-152  
   dynamic, 155  
 Fore peak, 4  
 Forecastle, 7, 10  
 Form coefficients, 19, 31  
 Form parameters affecting resistance,  
   247  
 Forward perpendicular, 19, 20  
 Forward shoulder, 31  
 Fouling, 220, 221  
 Fourier analysis, 137  
 Free surface effect on stability, 90-93  
 Freeboard, 3, 26, 27, 404  
   influence of, on stability, 110  
 Frequency of encounter, 178, 180, 335,  
   336  
 Froude number, 206, 228  
 Froude, R. E., 213, 267, 273, 294  
 Froude, William, 206, 246  
   frictional resistance experiments of,  
   211-213, 216

- Froude's law of comparison, 206-208  
 Full scantling ship, 7  
 Function of the ship, 1
- Galvanic corrosion, 193  
 Gaussian (normal) distribution, 136, 174, 196  
 General arrangement, 3, 396, 397  
 Gertler, M., 254, 255  
 Gilfillan, A. W., 399  
 Glass reinforced plastics, 194, 195  
 Goldstein, J., 279  
 Goodman, R. A., 380  
 Goss, R. O., 399  
 Governmental Authorities, 35, 39  
 Grain, 7  
*Great Eastern*, 154  
*Greyhound*, 258  
 Ground speed, 304
- Hardy Cross, 185  
 Hatch covers, 3, 4  
 Hatches, 3, 15  
 Havelock, Sir T. H., 226  
 Heaving, 141, 142  
   period of, 142, 143  
   tuning factor, 143  
 Heaving in irregular waves, 144, 145  
 Heaving in regular waves, 143  
 Heel due to turning, 117, 118  
 Helicoidal surface, 262, 263  
 Holds, 3, 5  
 Hovercraft, 17  
 Hughes, G., 233, 234  
 Hull efficiency, 290  
 Humps and hollows, 226-228  
 Hydrofoil boats, 17, 18  
 Hydrostatic curves, 82-89
- Inclination due to shift of weight, 89, 90  
 Inclining experiment, 94-97  
 Indicated horsepower (I.H.P.), 303  
 Inglis, C. E., 383  
 Integraph, 158  
 Inter-governmental Maritime Consultative Organisation (I.M.C.O.), 49, 50  
 Interference effects on resistance, 225, 226  
   Froude's experiments on, 226-228  
 Intermediate cargo passenger liners, 17
- International Conference for the Safety of Life at Sea, 48, 49, 114  
 International Conference on Tonnage, 1969, 44, 46, 47  
 International Load Line Conference, 49  
 International Ship Structures Congress, 140  
 International Towing Tank Conference (I.T.T.C.), 215  
   formula for frictional resistance, 215-217, 221  
 Irrrotational motion, 130  
 Isherwood system, 154
- Johnson, A. I., 344, 370  
 Johnson, A. J., and Ayling, P. W., 378
- Kelvin, Lord, 224
- Laminar flow, 208-210  
 Landweber, L., and de Macagno, M. C., 353, 354  
 Large angle stability, 99-102  
 Law of comparison (propellers), 280-282  
 Length between perpendiculars, 19, 20  
 Length on waterline, 20  
 Length overall, 20  
 Level lines, 29  
 Lewis, F. M., 350-353, 355, 381  
 Lift, 269-272  
 Lift coefficient, 269-272  
 Lightmass, calculation of, 392, 393  
 Lightship weight, 94  
 Liners, 15  
 Lincs fairing, 29, 30  
 Lines plan, 27-30  
 Liquefied gas, 11  
 Liquefied gas carrier, 11, 13, 389  
 Liquid cargo, 10  
 Lloyd, Edward, 36  
 Lloyd's Register of Shipping, 35-39, 167  
 Load line mark, 42  
 Load Line Regulations, 16, 27, 40-44, 391  
 Load lines, 39-42  
 Load waterline, 19  
 Loading conditions, 118, 119  
 Lofting, 30  
 Longitudinal metacentre, 71, 80

- Longitudinal position of centre of gravity, 84, 87-89  
*Lucy Ashton*, 118, 119
- Machinery, 5, 13  
 Machinery space, 4  
 Magnification factor, 330  
 Mandel, P., 232  
 Market survey, 388  
 Mass distribution, 150, 151, 157  
 Mass spring system, damped vibration of, 326-328  
     frequency of vibration of, 326  
     undamped vibration of, 325  
 Materials, 190-195  
 Measured mile, 304, 305  
 Membrane tanks, 13  
 Merchant Shipping Acts, 39, 44  
 Methane, 11  
 Midship area, 32  
 Midship area coefficient, 32, 33  
 Model experiments, 208, 227, 228, 245-247  
     free running, 247  
 Model resistance data, presentation of, by  
     Froude, R. E. (Constant System), 234-240  
     Gertler, M., 234  
     Taylor, D. W., 240-242  
 Modes of vibration, 332  
 Modulus of elasticity, 191, 194  
 Moe, J., and Lund, S., 349  
 Moment causing unit trim, 81  
 Moments of areas, 57-59, 61  
 Momentum theory, 273-276  
 Moorsom, G., 44, 50  
 Morrow, J., 358  
 Movement of weight, influence of, on stability, 111, 112  
 Multi-hull ships, 18
- Newton, Isaac 206  
 Nicholls, H. W., 367  
 No lift angle, 269, 271  
 Normal pressure on hulls, 219  
 Nose tail line, 266
- Oil tanker, 10-12, 389  
 One, three, three, one rule, 64  
 Open deck ships, 15  
 Open water tests on propellers, 285  
     Froude, R. E., 285-286  
     Gawn, R. W. L., 286  
     Troost, L., 286, 287  
 Ore, 7, 9  
 Ore carriers, 10
- Parallel middle body, 30, 31, 250, 251  
 Parker, M. N., 293  
 Parsons, Sir Charles, 294, 295  
 Passenger Certificate, 48  
 Passenger liner, 16, 17  
 Passenger ships, 16  
 Passengers, 16  
 Payne, M. P., 213  
 Permissible length, 127  
 Phase angle, 329, 331  
 Pitch, 263, 266  
 Pitch ratio, 267  
 Pitching, 141, 145, 147  
     period of, 147, 148  
 Plastic theory, 195, 196  
 Plimsoll, Samuel, 40  
 Poop, 7, 10  
 Power, 3  
 Powering, 314-320  
     example of, 317-320  
 Powering from model experiments, 315-317  
 Pressure distribution (on blade section), 272, 273  
 Principal dimensions, 19  
     determination of, 389-393  
 Prismatic coefficient, 32, 33  
 Probability distribution, long term, 174-176  
     short term, 173  
 Progressive speed trial, 303  
 Projected area, 268  
 Proof stress, 193  
 Propeller coefficients (Taylor), 283, 284  
 Propeller diameter, 264  
 Propeller efficiency, 278, 283
- Quasi propulsive coefficient (Q.P.C.), 290
- Rake (of propeller blade), 266, 267
- OBOs, 10  
 Oil, 9, 10



- Rake (of stem), 25  
Rankine, W. M., 273  
Rankine-Gordon formula, 183  
Rayleigh distribution, 136, 173  
Rayleigh's law, 207, 208  
Refrigerated cargo ships, 15, 16  
Refrigerating machinery, 13, 15  
Relative rotative efficiency, 290  
Reserve buoyancy, 2, 3  
Resistance, 200  
  air, 201, 203, 232-234  
  appendage, 231-232  
  eddy-making, 202, 229  
  full scale experiments on, 257-260  
  residuary, 217  
  viscous (frictional), 201, 207, 218, 219  
  wave making, 201, 205, 206, 218, 219,  
  223-228  
Resistance experiments, standard series  
  of, 252, 253  
  B.S.R.A., 256, 257  
  estimation of power from, 257  
  Froude, R. E., 255, 256  
  Gertler, M., 254, 255  
  Taylor, D. W., 253, 254  
Resonance, 143, 331  
Reynolds, O., 207-210  
Reynolds' number, 207, 208, 210, 214  
Richards, J. E., 372  
Righting arm, 72, 73, 99-102, 104, 105  
Rise of floor, 23  
Rolling, 141, 145, 146  
  reduction of, 147  
Rolling in irregular waves, 146  
Rolling in regular waves, 146  
Roughness, 214, 220  
  corrosion, 220  
  fouling, 220, 221  
  structural, 220  
Roughness allowance, 221, 259  
Rudder, 229  
Run, 31  
  
Scantlings, determination of, 396  
Schlick, O., 342, 357, 375, 376, 378  
Schoenherr, K. E., 214  
  formula of, 214-216  
Sea keeping tanks, 247  
Sea spectra, 138-141, 144  
Second moments of area, 59-62  
Section modulus, 163, 164, 167  
Section shape, 251  
Self-propulsion point (model), 291  
Self-supporting tanks, 13  
Separation, 229, 231  
Shaft bossing, 30, 83, 230  
Shaft brackets, 30, 230  
Shaft horsepower (S.H.P.), 278, 281  
Shear deflection, influence on vibration  
  frequency of, 342-344, 361  
Shear stress, 168, 169  
Shearing force, still water, 151  
  wave, 158, 159  
Sheer, 22, 23  
Sheer profile, 29  
Shell displacement, 83  
Shelter deck, 5  
Shelter deck ship, 5, 6, 7, 389  
Ship calculations, 51  
Ship design, 387-399  
Ship form, 27  
  design of, 393, 394  
Ship motions, 128, 141, 148, 150  
Ship resistance, example of calculation  
  of, from model experiments, 242-  
  245  
Ship types, 5-17  
Ship vibration, 333  
  flexural, 337, 338  
  empirical formulae for, 341, 342  
  local, 337  
  torsional, 338, 339  
  calculation of frequency of, 372-375  
Ship vibration exciting forces, 333-335  
Ship vibration coupling, 338, 339  
Shrouded (ducted) propellers, 301, 302  
Side loading, 4  
Simpson's rule, 54-64  
Skew, 266, 267  
Slamming, 334  
Slimness, 248, 249  
Slip, 276  
Slung weight, influence of, on stability,  
  93, 94  
Smith, G. K., and Woodhead, R. G., 399  
Snaith, G. R., and Parker, M. N., 399  
Specific resistance coefficient, 218  
Spectral density, 138  
Speed, 15-17, 388  
Speed/length ratio, 206  
Speed through water, 306-309  
Spreading function, 140, 141  
Stabilising equipment, 16  
Stability, 2, 3, 9, 18  
  longitudinal, 2, 79-81  
  transverse, 2, 71-79

- Stability and trim, 394, 395  
 Stability when docking, 97-99  
 Stabilograph, 96  
 Stagnation point, 270, 297  
 Stalling, 269  
 Stanton, T. E., 233  
 Static stability, curves of, 101, 102, 109  
 Steel, higher tensile, 192  
   mild, 11, 190-192  
   nickel, 13  
 Steering gear, 5  
 Strength, 150  
   local, 152  
   longitudinal, 2, 15, 152, 153  
   transverse, 2, 152, 184-189  
 Strength calculation, dynamic, 171-173  
   static, 156, 157, 160-162, 166  
 Stress, 162, 165, 166  
 Structural capability, 196, 197  
 Structural discontinuities, 189, 345-347  
 Structural failure, 185-197  
 Structural response, 162-165  
 Structure, function of, 153-155  
 Submarine, 2  
 Superstructure, influence of, on stability,  
   110, 111  
 Surging, 141  
 Swaying, 141
- Taylor, J. L., 344, 355, 358, 374  
 Tchebycheff's rule, 65  
 Teller, E. V., 292, 293, 308, 309, 392  
 Theorem of least work, 185  
 Thornycroft, J. L., 294, 296  
 Thrust, 278  
 Thrust coefficient, 282  
 Thrust deduction, 289, 291, 293, 294  
 Thrust horsepower (T.H.P.), 278, 281  
 Tidal speed, 306, 307  
 Tideman, 240  
*Titanic*, 48, 119  
 Tobin, T. C., 367  
 Todd, F. H., 350, 358, 376-378, 383  
 Tonnage, 5, 44-48  
 Tonnage opening, 5  
 Tons per inch immersion, 83  
 Torque, 278  
 Torque coefficient, 282  
 Torsion, 180, 181  
 Torsionmeter, 303  
 Townsin, R. L., 355, 356, 371  
 Tramp ships, 7, 389  
 Transport system, 2  
 Transportation, 387-389  
 Transverse metacentre, 72-79
- Trapezoidal rule, 51-54  
 Trial condition, 309, 310  
 Trial data, analysis of, 310-312  
 Trial speed and power, 302-312  
 Trim, 25, 26, 80, 81  
 Tumble home, 24, 25  
 Tuning factor, 144, 329, 330  
*Turbina*, 294  
 Turbulence stimulators, 210  
 Turbulent flow, 208-210  
 Tutin, J., 398
- Ultimate strength, 191-193  
 Unbalanced forces, 333, 334  
 Underwater volume, calculation of, 68,  
   69  
 Unstable vessel, stability of, 105-107  
 Use of SI Units, 320-322
- Vedeler, G., 374  
 Vertical prismatic coefficient, 33  
 Vibration, 323-385  
   amplitude of, 323  
   calculation of, 379-382  
   free, 324  
   natural frequency of, 324  
 Vibration frequency, calculation of,  
   by full integral method, 357-365  
   by energy method, 365-367  
   influence of rotary inertia on, 356, 357,  
   361, 367-370  
 Vibration frequency for higher modes,  
   370-372  
 Viscosity, 200  
 Volumes, 62
- Wake, 288, 291  
 Wake fraction, 288, 289  
   determination of, from trial, 312  
   value of, 292-294  
 Wall sided formula, 102-105  
 Waterlines, 27, 29  
 Waterplane area, 33, 34  
 Waterplane area coefficient, 33  
 Watertight subdivision, 117-119, 396  
 Wave,  
   apparent period of, 133, 134  
   effective height of, 176, 177  
   energy of, 134, 179  
   length of, 129, 130  
   period of, 132, 133  
   pressure in, 131, 132  
   spectrum ordinate of, 178-180



- Wave, *cont.*  
trochoidal, 130  
velocity of, 129, 130
- Waves,  
irregular, 135  
regular, 128, 129
- Weather deck, 26
- Weather groups, 174-175
- Wetness, 148
- Wetted surface area, 221-223
- Wigley, W. C. S., 225, 226
- Winches, 4
- Wind, influence of, on stability, 115-117
- Yawing, 141
- Yield stress, 189-191