

USN

First Semester B.E. Degree Examination, Dec.2023/Jan.2024 Calculus and Linear Algebra

Time: 3 hrs.

Max. Marks: 100

18MAT11

Note: Answer any FIVE full questions, choosing ONE full question from each module.

- Show that the angle ϕ between radius vector and tangent at a point on the curve $r = f(\theta)$ is given by $\tan \phi = r \cdot \frac{d\theta}{dr}$. (06 Marks)
 - Show that the radius of curvature of the curve $x^3 + y^3 = 3xy$ at $\left(\frac{3}{2}, \frac{3}{2}\right)$ is $-\frac{3}{8\sqrt{2}}$. (06 Marks)
 - Find the angle of intersection between the curves $r = a \log \theta$ and $r = \frac{a}{\log \theta}$. (08 Marks)

- Find the pedal equation of the curve $r^m = a^m [\cos m\theta + \sin m\theta]$. 2 (06 Marks)
 - (06 Marks)
 - Find the radius of curvature of the curve $r^n = a^n \sin n\theta$. Show that the evolute of the parabola $y^2 = 4ax$ is $27ay^2 = 4(x 2a)^3$. (08 Marks)

Module-2

- Using Maclaurin's series, prove that $\sqrt{1+\sin 2x} = 1 + x \frac{x^2}{2} \frac{x^3}{6} + \frac{x^4}{24} + \dots$ (08 Marks)
 - b. Evaluate $\lim_{x\to 0} \left(\frac{a^x + b^x + c^x}{3} \right)^{\overline{x}}$. (06 Marks)
 - Examine the function $f(x,y) = x^3 + y^3 3x 12y + 20$ for its extreme values. (06 Marks)

- a. If U = f(x y, y z, z x), prove that $\frac{\partial U}{\partial x} + \frac{\partial U}{\partial y} + \frac{\partial U}{\partial z} = 0$. (06 Marks)
 - b. If $u = x^2 + y^2 + z^2$, v = xy + yz + zx, w = x + y + z, then find $\frac{\partial(u, v, w)}{\partial(x, y, z)}$. (07 Marks)
 - c. A rectangular box, open at the top, is to have a volume of 32 cubic ft. Find the dimension of (07 Marks) the box requiring least material for its construction.

Module-3

- a. Evaluate $\iint \int (x + y + z) dy dx dz$. (06 Marks)
 - b. Evaluate $\iint xy(x+y)dydx$, taken over the area between $y = x^2$ and y = x. (07 Marks)
 - c. Show that $\int_{0}^{\pi/2} \frac{d\theta}{\sqrt{\sin \theta}} \times \int_{0}^{\pi/2} \sqrt{\sin \theta} \ d\theta = \pi.$ (07 Marks)

OR

- 6 a. Change the order of integration in $\int_{0}^{1} \int_{0}^{\sqrt{1-x^2}} y^2 dxdy$, and hence evaluate the same. (06 Marks)
 - b. Find by double integration, the centre of gravity of the area of the cardioid $r = a(1 + \cos \theta)$.

 (07 Marks)
 - c. Derive the relation between Beta and Gamma functions as $\beta(m,n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$. (07 Marks)

Module-4

- 7 a. Solve $\frac{dy}{dx} + y \tan x = y^2 \sec x$. (06 Marks)
 - b. Find the orthogonal trajectories of the family $r^n \cos n\theta = a^n$. (07 Marks)
 - c. Solve the equation (px y)(py + x) = 2p by reducing into Clairaut's form, taking the substitution $X = x^2$, $Y = y^2$. (07 Marks)

OR

- 8 a. If the temperature of the air is 30°C and a metal ball cools from 100°C to 70°C in 15 minutes, find how long will it take for the metal ball to reach a temperature of 40°C.

 (06 Marks)
 - b. Find the orthogonal trajectories of the family of curves $\frac{x^2}{a^2} + \frac{y^2}{b^2 + \lambda} = 1$, where λ is the parameter. (07 Marks)
 - c. Solve $xy\left(\frac{dy}{dx}\right)^2 (x^2 + y^2)\frac{dy}{dx} + xy = 0$. (07 Marks)

9 a. Find the rank of the matrix $\begin{bmatrix} 2 & 3 & -1 & -1 \\ 1 & -1 & -2 & -4 \\ 3 & 1 & 3 & -2 \\ 6 & 3 & 0 & -7 \end{bmatrix}$ by applying elementary row operations.

(06 Marks)

- b. Reduce the matrix $A = \begin{bmatrix} -19 & 7 \\ -42 & 16 \end{bmatrix}$ into the diagonal form. (07 Marks)
- c. Find the Largest eigen value and the corresponding eigen vector of the matrix A, by using the power method by taking initial vector as [1, 1, 1]^T,

$$\mathbf{A} = \begin{bmatrix} 2 & -1 & 0 \\ -1 & 2 & -1 \\ 0 & -1 & 2 \end{bmatrix}$$

Perform 6 iterations.

(07 Marks)

10 a. Apply Gauss-Jordan method to solve the following system of equations:

$$2x + y + 3z = 1$$

$$4x + 4y + 7z = 1$$

$$2x + 5y + 9z = 3$$

(06 Marks)

- b. Investigate for what value of λ and μ the simultaneous equation x+y+z=6, x+2y+3z=10, $x+2y+\lambda z=\mu$ have:
 - (i) no solutions
 - (ii) unique solutions
 - (iii) infinite number of solutions

(07 Marks)

c. Solve the following system of equations by Gauss-Seidel method

$$5x + 2y + z = 12$$

$$x + 4y + 2z = 15$$

$$x + 2y + 5z = 20$$

Carryout 4 iterations taking the initial approximation to the solution as (1, 0, 3). (07 Marks)