Max. Marks: 100 Time: 3 hrs.

Fifth Semester B.E. Degree Examination, Jan./Feb. 2023 Aerodynamics - II

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module. 2. Use of Gas tables is permitted.

Module-1

Derive an expression for area ratio as a function of Mach number with usual notation.

Derive the following relation for a Quasi – 1D isentropic flow through variable area duct.

i)
$$\frac{dA}{A} = -\frac{dv}{v}(1 - M^2)$$

in terms of Mach number.

(10 Marks)

- Air [C_P = 1.05 kJ/kg-k, C = 1.38] at $P_1 = 3 \times 10^5 \text{N/m}^2$ and $T_1 = 500 \text{k}$ flows with a velocity of 200m/s in a 30cm diameter duct. Calculate:
 - Mass flow rate
 - Stagnation temperature
 - iii) Mach number
 - iv) Stagnation pressure values

Assuming the flow as compressible and incompressible.

(10 Marks)

b. Calculate the dynamic pressure of the flow if $V_{\infty} = 175 \text{m/s}$, $P_{\infty} = 1$ atm and $T_{\infty} = 298 \text{ k}$. What will be the percentage error? If the flow is treated as incompressible.

Module-2

Derive the following relations for flow through a normal shock wave 3

a.
$$M_y^2 = \frac{\frac{2}{y-1} + M_x^2}{\frac{2y}{y-1} M_x^2 - 1}$$

b.
$$\frac{P_y}{P_x} = \frac{2y}{y+1} M_x^2 - \frac{y-1}{y+1}$$

(20 Marks)

OR

- a. A normal shock wave with pressure ratio of 4.5 impinges as a plane wall. Determine the static pressure ratio for the reflected normal shock wave. The air temperature in front of the incident wave is 280K.

 (10 Marks)
 - b. A gas ($\gamma = 1.4$, R = 0.287 kJ/kg-k) at a mach number of 1.8, P = 0.8 bar and T = 373k passes through a normal shock. Determine its density after the shock, compare this value in an isentropic compression through the same pressure ratio. (10 Marks)

Module-3

- 5 Derive the following using oblique shock waves,
 - a. Rankine Hugnoit equation
 - b. Prandtl Meyer expansion waves.


(20 Marks)

(10 Marks)

(10 Marks)

OR

- 6 a. A uniform flow at $M_1 = 2.0$ passes over an expansion corner with wall inclination of 10° . Find the Mach number of the flow downstream of the expansion far. (10 Marks)
 - b. Air flow at Mach 4.0 and pressure 10^5 N/m^2 is turned abruptly by a wall into the flow with a turning angle of 20° as shown in the Fig.Q6(b). If the shock is reflected by another wall, determine the flow properties 'M' and 'P' downstream of the reflected shock.



Module-4

7 a. Obtain the basic differential equations of motion for steady compressible flows. (10 Marks)

OR

b. Describe the various methods of solution of nonlinear potential equation. (10 Marks)

, #

- 8 a. Derive the Linearized pressure coefficient for small perturbations.
 - b. Deduce $\tan(\theta_0 \pm \alpha) = \tan\left(\frac{1}{2}\frac{t}{C}\left(1 \pm \frac{2\alpha}{t/C}\right)\right)$ using Geothert's rule. (10 Marks)

Module-5

Discuss the power losses in terms of percentage energy loss in the various parts of the wind tunnel. (20 Marks)

OR

- With neat sketch explain the following with advantages and disadvantages:
 - a. Blow down type wind tunnels
 - b. Continuous supersonic wind tunnels.

(20 Marks)