CBCS SCHEME

| usn [| | 2 | | 2, | | 2 | | | | | 2 | 2SCS/SCN22 |
|-------|--|---|--|----|--|---|--|--|--|--|---|------------|
|-------|--|---|--|----|--|---|--|--|--|--|---|------------|

Second Semester M.Tech. Degree Examination, June/July 2023 Artificial Intelligence and Machine Learning

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module. 2. M: Marks, L: Bloom's level, C: Course outcomes.

| | | Module – 1 | M | L | C |
|--|-------|--|----|-----------|-----|
| Q.1 | a. | What is AI? Explain the fields where foundations of AI is used. Mention some applications of AI. | 10 | L2 | CO1 |
| | b. | You are provided with two water jugs, one with 5 gallons of capacity and the other with 3 gallons of capacity. Neither have any measuring marks on it. How can we get exactly 4 gallons of water in 5 gallon jug? i) Write down the production rules for the above problem. ii) Find any one solution for the above problem. | 10 | L2 | CO1 |
| | | OR | | | |
| Q.2 | a. | Write Breadth first search algorithm and explain by taking suitable example. | 10 | L2 | CO1 |
| 11 to 12 | b. | Explain the process of simple hill climbing with algorithm and also explain the problems with hill climbing. | 10 | L2 | CO1 |
| | | Module – 2 | | | |
| Q.3 | a. | Explain MINIMAX procedure, strategy and algorithm. | 12 | L2 | CO1 |
| 1 | b. | Show that $\alpha: (A \wedge B) \ A(B \rightarrow \sim A)$ is unsatisfiable using the tableau method. | 8 | L2 | CO1 |
| | | OR | | | |
| Q.4 | a. | Write down the steps to transform a formula to its equivalent CNF. Convert the formula $(\sim A \rightarrow B) \land (C \land \sim A)$ into its equivalent CNF representation. | 10 | L2, L3 | CO1 |
| | ь. | Explain the game playing problem with an example game tree, where MAX is playing first. | 10 | L2, L3 | CO2 |
| | | Module – 3 | | | |
| Q.5 | a. | What is Means Ends analysis? Write the algorithm and explain by taking suitable example. | 10 | L2 | CO2 |
| | b. | Explain semantic net method of knowledge representation with an example. | 10 | L2 | CO2 |
| | ٠,-,- | 1 of 2 | | | |
| | | • | | | |

| | | 22 | 2SC | S/SC | CN2 |
|-----------|----|---|-----|------|-----|
| | | OR | 10 | T 2 | CO |
| Q.6 | a. | Discuss about knowledge representation with frames. Give the structure and faults in a frame. | 10 | L3 | C |
| | | hoolgyard reasoning inference | 10 | L3 | C |
| | b. | Demonstrate forward reasoning and backward reasoning inference | | u · | |
| 1 | | mechanism for the following set of classes: | | | |
| | | isa $(X, human \leftarrow is a (X, man))$ | | | |
| | | isa (John, man). | | | |
| | | Module 4 | 40 | T 4 | C |
| Q.7 | a. | Explain the concept of Bayes theorem and derive Bayes theorem from | 10 | L2 | |
| Q. | | conditional probability. | | | |
| | | all accorded random bring literate as | 10 | L2 | C |
| | b. | We are given probability of any person chosen at random bring literate as 0.40 and probability of any person chosen at random having age > 60 years | | | |
| | | as 0.005. Find the probability of the fact that a person chosen at random of | | | |
| | | as 0.005. Find the probability of the fact that a policy age > 60 years is literate. | | | |
| | | age > 00 years is morning. | | | |
| | | OR | T | T | |
| Q.8 | a. | Discuss about K Means and hierarchical clustering techniques in brief. | 10 | L2 | C |
| Q.0 | | | 10 | L2 | 1 |
| | b. | Explain the components of a learning system with a neat sketch. | 10 | 112 | - |
| | | | | | |
| | | Module - 5 | 10 | L2 | (|
| Q.9 | a. | What is SVM? Outline the working of SVM (Support Vector Machine) for | | | |
| | | linear and non linear classification. | | | |
| | _ | Discuss the different issues while designing an ANN (Artificial Neural | 10 | L3 | (|
| | b. | Network). | | | |
| | | Notwork). | 0 | | |
| | | OR V | 10 | 12 | |
| Q.10 | a. | What is an ANN? Explain a neuron model with relevant expressions. | 10 | L2 | ' |
| | _ | Design a perceptron for Boolean or function using learning algorithm. | 10 | L2 | 1 |
| | b. | Design a perceptron for Boolean of function using learning angular transformation $W_1 = -0.2$, $W_2 = 0.4$ and Learning rate $A = 0.2$. | | | |
| | | Assume $W_1 = -0.2$, $W_2 = 0.4$ and locaring rate T_1 | | | |
| | | | | | |
| | | **** | | | |
| | | | | | |
| | Ć. | | | | |
| | 44 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | • | | | |
| | | 2 of 2 | | | |
| | | | | | |
| | | | | | |
| | | A. A. C. | | | |
| | A | | | | |
| | | | | | |